

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7

## Tyre Glaze

Revision 9

Revision date 2015-09-07

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Tyre Glaze
Product code	QAFS431

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; ----- [SU21] Consumer uses: Private households (= general public = consumers); ----- [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
Description	A water resistant Tyre and Trim Dressing that has been carefully formulated for the renovation of all plastics, PVC, Rubber, etc. both inside and outside. Ideal for dash boards, tyres, plastic trim and for renovating exterior bumpers and mirror housings.

#### 1.3. Details of the supplier of the safety data sheet

Company	The Dogs Bollocks
Address	North Greendykes Broxburn West Lothian EH52 6PW
Web	www.thedogsbollocks.company
Telephone	01506 862299
Fax	01506 862288
Email address of the competent person	sales@thedogbollocks.company

#### 1.4. Emergency telephone number

Emergency telephone number	01506 862299 Monday - Thursday 8am - 5pm, Friday 8am - 3pm
----------------------------	---

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	R10 Symbols:
Main hazards	Flammable.
2.1.2. Classification - EC 1272/2008	Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H336;


#### 2.2. Label elements

## Tyre Glaze

Revision 9

Revision date 2015-09-07

## 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. STOT SE 3: H336 - May cause drowsiness or dizziness.
Precautionary Statement: Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ . P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 - Call a POISON CENTER/doctor/ /if you feel unwell. P331 - Do NOT induce vomiting. P370+P378 - In case of fire: Use to extinguish.
Precautionary Statement: Storage	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved waste contractor.

## 2.3. Other hazards

Other hazards	PBT not identified as a PBT substance.
---------------	--

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Hydrocarbons, C9-11, N-alkanes, Cyclics, <2% Aromatic			919-857-5		60 - 70%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H336;	

## Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
--------------------	--

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
Eye contact	Irritating to eyes.

# Tyre Glaze

Revision 9

Revision date 2015-09-07

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	TREAT SYMPTOMATICALLY. Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

## General information

	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
--	---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

### 5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

### 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

## Further information

	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
--	---

### 6.2. Environmental precautions

	Advise local authorities if large spills cannot be contained.
--	---

### 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
--	--

### 6.4. Reference to other sections

	See section 2, 7, 8, 13 for further information.
--	--

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

### 7.2. Conditions for safe storage, including any incompatibilities

	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
--	---

### 7.3. Specific end use(s)

	No data is available on this product.
--	---------------------------------------

## Tyre Glaze

Revision 9

Revision date 2015-09-07

## Suitable packaging

Plastic containers.

**SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Occupational exposure controls.

## 8.2. Exposure controls



Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

## Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Skin protection -  
Handprotection

Rubber gloves.

## Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure  
controls

Prevent further leakage or spillage if safe to do so.

**SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid
<b>Colour</b>	Colourless
<b>Odour</b>	Pleasant
<b>Odour threshold</b>	No data available
<b>pH</b>	No data available
<b>Melting point</b>	Not applicable.
<b>Initial boiling point</b>	No data available
<b>Flash point</b>	45 °C
<b>Evaporation rate</b>	No data available
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Vapour pressure</b>	No data available
<b>Vapour density</b>	No data available
<b>Relative density</b>	No data available
<b>Partition coefficient</b>	No data available
<b>Autoignition temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive properties</b>	No data available
<b>Oxidising properties</b>	Not applicable.
<b>Solubility</b>	Insoluble in water

## 9.2. Other information

## Tyre Glaze

Revision 9

Revision date 2015-09-07

## 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	0.82 - 0.86 g/cm <sup>3</sup>
Gas group	Not applicable.
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

Flammable liquid. Stable under normal conditions.

## 10.2. Chemical stability

Flammable liquid. Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Oxidising agents. Combustible materials.

## 10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.

## 10.5. Incompatible materials

Oxidising agents.

## 10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Skin corrosion/irritation	Not anticipated under normal conditions of use. May cause irritation to skin.
Serious eye damage/irritation	Not anticipated under normal conditions of use.
Respiratory or skin sensitisation	Not anticipated under normal conditions of use. May cause irritation to respiratory system.
Repeated or prolonged exposure	Prolonged contact may cause defatting of the skin.

## 11.1.2. Mixtures

No data available.

## 11.1.3. Hazard Information

No data available.

## 11.1.4. Toxicological Information

No data available

## SECTION 12: Ecological information

## 12.1. Toxicity

No data available

## 12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

## 12.3. Bioaccumulative potential

## Tyre Glaze

Revision 9  
Revision date 2015-09-07

## 12.3. Bioaccumulative potential

No data is available on this product.

## Partition coefficient

Tyre Glaze No data available

## 12.4. Mobility in soil

No data is available on this product.

## 12.5. Results of PBT and vPvB assessment

No data is available on this product.

## 12.6. Other adverse effects

No data available.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

## General information

Dispose of in compliance with all local and national requirements.

## Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

## SECTION 14: Transport information

## Hazard pictograms



## 14.1. UN number

UN3295

## 14.2. UN proper shipping name

HYDROCARBONS, LIQUID, N.O.S.

## 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

## 14.4. Packing group

Packing group III

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## ADR/RID

## Tyre Glaze

Revision 9

Revision date 2015-09-07

## ADR/RID

Hazard ID	30
Tunnel Category	(D/E)

## IMDG

EmS Code	F-E S-D
----------	---------

## IATA

Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	<p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
-------------	--

## 15.2. Chemical safety assessment

	No information available.
--	---------------------------

## SECTION 16: Other information

## Other information

Revision	This document differs from the previous version in the following areas: 2 - 2.2. Label elements.
Text of Hazard Statements in Section 3	Flam. Liq. 3: H226 - Flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. STOT SE 3: H336 - May cause drowsiness or dizziness.

## Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--